

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy | | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | Brix | pH | %TA | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note |
|---|------------------|--------------|------------------|----------------|----------------|--------------|---------------------|--------------|-----------------------|------------------------|------|------|-----|-------------|----------------|---------------------------------------|------|
| | | | | Trunk cm | apx. pounds | | | | | of 10 berries gm | | | | | | | |
| Apples - <i>Malus domestica</i> | | | | | | | | | | | | | | | | | |
| Haralred | 2 | 2006 | -- | <i>Did</i> | 4.0 | Y | 10/4 | 45,063 | 99 | -- | -- | -- | -- | -- | -- | Many with water core | |
| Haralred | 2 | 2008 | -- | <i>not</i> | 4.0 | Y | 10/4 | 30,042 | 66 | -- | -- | -- | -- | -- | -- | Many with water core | |
| Hazen | 3 | 2006 | -- | <i>Measure</i> | 4.5 | Y | 9/17-27 | 145,943 | 321 | -- | -- | -- | -- | -- | -- | 200 lb 'bad' (falls, bird peck, etc) | |
| Sweet Sixteen | 4 | 2006 | -- | " | 5.0 | Y | 10/5 | 68,553 | 151 | -- | -- | -- | -- | -- | -- | 43.1 lb 'bad' (falls, bird peck, etc) | |
| Honey Crisp | 6 | 2006 | -- | " | 4.5 | Y | 10/5 | 105,367 | 232 | -- | -- | -- | -- | 1.5 | -- | 74.9 lb 'bad' (falls, bird peck, etc) | |
| Zestar | 4 | 2007 | -- | " | 5.0 | Y | 9/8-21 | 82,593 | 182 | -- | -- | -- | -- | -- | -- | 34.6 lb 'bad' (falls, bird peck, etc) | |
| Plums - Native x <i>P. salicina</i> | | | | | | | | | | | | | | | | | |
| <i>Caliper mm</i> | | | | | | | | | | | | | | | | | |
| Prairie Red Hyb. | 2 | 2010 | -- | <i>Did</i> | 4.0 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit | |
| Pembina | 3 | 2006 | -- | <i>not</i> | 4.5 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit | |
| Pipestone | 5 | 2006 | -- | <i>Measure</i> | 4.0 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit | |
| Toka | 2 | 2006 | -- | " | 4.0 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit | |
| Waneta | 5 | 2006 | -- | " | 4.5 | Yes | -- | -- | -- | -- | -- | -- | -- | -- | -- | Very little fruit | |
| Pears - <i>Pyrus communis</i> | | | | | | | | | | | | | | | | | |
| <i>Caliper mm</i> | | | | | | | | | | | | | | | | | |
| Ely | 2 | 2015 | -- | 79 | 4.0 | No | -- | -- | -- | -- | -- | -- | -- | -- | -- | Poor Fruit. Few fruits | |
| Nova | 2 | 2015 | -- | 117 | 5.0 | No | -- | -- | -- | -- | -- | -- | -- | -- | -- | Good small crop | |
| Patten | 2 | 2015 | -- | 96 | 5.0 | No | -- | -- | -- | -- | -- | -- | -- | -- | -- | Good small crop | |
| Schroeder Hardy ND | 2 | 2015 | -- | 78 | 5.0 | No | -- | 106,800 | -- | -- | -- | -- | -- | -- | -- | Poor Fruit. Overcropped | |
| Stacey | 2 | 2015 | -- | 150 | 5.0 | No | -- | -- | -- | -- | -- | -- | -- | -- | -- | Few fruits, Both trees: sunscald | |
| Aronia - <i>Aronia mitschurinii</i> | | | | | | | | | | | | | | | | | |
| <i>Width cm</i> | | | | | | | | | | | | | | | | | |
| Galicjanka | 4 | 2013 | 180 | <i>Did</i> | 4.5 | Y | 9/9 | 16,485 | 8.1 | 18.0 | 3.35 | 1.47 | -- | -- | -- | <i>Good, ave crop 2022</i> | |
| McKenzie | 4 | 2010 | 213 | <i>not</i> | 5.0 | Y | 9/14 | 26,933 | 11.2 | 19.4 | 3.28 | 1.46 | -- | -- | -- | | |
| Nero | 4 | 2007 | 220 | <i>Measure</i> | 4.0 | Y | 9/12 | 19,086 | 10.7 | 18.2 | 3.36 | 1.48 | -- | -- | -- | Impacted by tree shade | |
| Raintree Seedling | 4 | 2007 | 182 | " | 4.2 | Y | 9/19 | 24,539 | 9.9 | 17.4 | 3.37 | 1.58 | -- | -- | -- | Impacted by tree shade | |
| Raintree Select | 4 | 2007 | 263 | " | 5.0 | Y | 9/9 | 11,790 | 9.1 | 19.1 | 3.44 | 1.40 | -- | -- | -- | | |
| Viking | 4 | 2007 | 251 | " | 5.0 | Y | 9/12 | 14,521 | 9.9 | 19.2 | 3.40 | 1.33 | -- | -- | -- | | |
| Dwarf Hardy Cherry - <i>P. cerasus</i> x <i>P. fruticosa</i> | | | | | | | | | | | | | | | | | |
| <i>Width cm</i> | | | | | | | | | | | | | | | | | |
| Juliet | 5 | 2015 | 267 | 244 | 4.8 | Y | 7/19-20 | 8,721 | 53.9 | 15.1 | 3.01 | 1.96 | -- | 2.0 | 0 | Sample 7/18. Gummosis in some | |
| Romeo | 3 | 2015 | 263 | 280 | 5.0 | Y | 8/3 | -- | -- | 16.0 | 3.01 | 2.11 | -- | 0 | 0 | Sample 7/18. Swelling 7/28 | |
| Plant labeled Romeo | 1 | 2015 | 236 | 270 | 3.0 | Y | -- | -- | -- | -- | -- | -- | -- | 0 | 0 | | |
| Red Currants - <i>Ribes rubrum</i> | | | | | | | | | | | | | | | | | |
| <i>Width cm</i> | | | | | | | | | | | | | | | | | |
| Jhonkheer Van Tets | 4 | 2008 | -- | -- | 5.0 | Y | 8/8 | 2,041 | 6.0 | 9.4 | 2.76 | 3.35 | 0 | -- | 0 | | |
| Rosetta | 4 | 2007 | -- | -- | 4.3 | N | 8/8 | 10,934 | 5.8 | 10.6 | 2.78 | 2.56 | 0 | -- | 0 | | |
| Rovada | 4 | 2007 | -- | -- | 4.3 | N | 8/8 | 4,540 | 6.2 | 11.5 | 2.73 | 3.07 | 0 | -- | 0 | | |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy Width cm | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | Brix | pH | %TA | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note |
|---|------------------|--------------|---------------|---------------------|-----------|------------------|--------------|--------------------|------------------|------|------|------|----------|-------------|-------------------|--|
| | | | | | | | | | of 10 berries gm | | | | | | | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | | | | | | |
| Demo and remains of Trial 1 | | | | | | | | | | | | | | | | |
| Ben Lomand | 4 | 2008 | -- | -- | -- | N | 8/9-15 | 1,289 | 7.8 | 16.3 | 2.82 | 3.65 | 0 | -- | 0 | Pruned for cane borer |
| Blackcomb | 4 | 2011 | -- | -- | -- | N | 8/17 | 4,958 | 8.6 | 16.7 | 2.66 | 5.20 | 0 | -- | 0 | Probable Currant Fly |
| Champion | 4 | 2008 | -- | -- | -- | N | 8/15 | 924 | 7.1 | 17.8 | 2.84 | 4.18 | 0 | -- | 0 | |
| Minaj Smyriou | 4 | 2008 | -- | -- | -- | N | 8/8 | 3,910 | 9.5 | 14.0 | 2.73 | 3.47 | 0 | -- | 0 | |
| Black Currants - <i>Ribes nigrum</i> | | | | | | | | | | | | | | | | |
| Demo and Trial 2 | | | | | | | | | | | | | | | | |
| Blackcomb | 7 | 2014 | -- | -- | -- | Y | 8/19 | 13,258 | 9.2 | 15.0 | 2.62 | 4.81 | 0 | -- | 0 | Cane borer again. |
| Cheakamus | 7 | 2014 | -- | -- | -- | Y | 8/10 | 7,936 | 10.9 | 15.4 | 2.67 | 4.48 | 0 | -- | 0 | Probable Currant Fly |
| Stikine | 7 | 2014 | -- | -- | -- | Y | 8/15 | 5,215 | 9.3 | 15.8 | 2.72 | 3.62 | 0 | -- | 0 | |
| Tahsis | 8 | 2014 | -- | -- | -- | Y | 8/15 | 6,265 | 12.7 | 16.3 | 2.75 | 2.20 | 0 | -- | 0 | |
| Tiben | 8 | 2014 | -- | -- | -- | Y | 8/16 | 7,965 | 9.0 | 15.0 | 2.67 | 4.40 | 0 | -- | 0 | |
| Nechako 2 ft spacing | 7 | 2014 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | 0 | -- | 0 | |
| Nechako 3 ft spacing | 7 | 2014 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | 0 | -- | 0 | |
| Chilko | 4 | 2014 | -- | -- | -- | Y | 8/15 | 658 | 7.4 | 18.4 | 2.71 | 4.88 | 0 | -- | 0 | |
| M1 | 3 | 2014 | -- | -- | -- | Y | 8/10 | 1,217 | 8.8 | 18.2 | 2.75 | 4.60 | 0 | -- | 0 | |
| M19 | 2 | 2014 | -- | -- | -- | Y | 8/9 | 2,416 | 10.6 | 17.1 | 2.82 | 3.61 | 0 | -- | 0 | |
| Juneberry - <i>Amelanchier alnifolia</i> | | | | | | | | | | | | | | | | |
| tallest | | | | | | | | | | | | | | | | |
| Honeywood | 15 | 2006 | -- | -- | 5.0 | Y | 7/15-26 | 69,825 | -- | -- | -- | -- | 0.1 | 0.1 | 0.1 | Crop harvested by both CREC and volunteers. Weighed. |
| JB30 | 15 | 2006 | -- | -- | 5.0 | Y | 7/11-18 | 69,825 | -- | -- | -- | -- | 0.1 | 0.1 | 0.1 | |
| Martin | 15 | 2006 | -- | -- | 5.0 | Y | 7/11-18 | 69,825 | -- | -- | -- | -- | 0.1 | 0.1 | 0.1 | |
| Smoky | 15 | 2006 | -- | -- | 4.0 | Y | 7/17-26 | 69,825 | -- | -- | -- | -- | 0.1 | 0.1 | 0.1 | Harvest recorded: 769 lbs |
| Thiessen | 15 | 2006 | -- | -- | 5.0 | Y | 7/11-18 | 69,825 | -- | -- | -- | -- | 0.1 | 0.1 | 0.1 | Total est crop: 800 lbs |
| Hazelnuts - [(<i>Corylus americana</i> x <i>C. avellana</i>) x Cultivated Oregon <i>Corylus</i> species] | | | | | | | | | | | | | | | | |
| Disease Winter Squirrels started on nuts apx 8/4 | | | | | | | | | | | | | | | | |
| 1 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Tallest |
| 2 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Shortest |
| 3 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | Pruned to remove |
| 4 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | Pruned to remove |
| 5 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | EF Blight | -- | Pruned to remove |
| 6 | 1 | 2007 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 | Good plant. Squirrels |
| Hazelnuts - (<i>Corylus americana</i> x ?) Riverbend Hazelnuts, Dan Johnson | | | | | | | | | | | | | | | | |
| Disease Winter Squirrels started on nuts apx 8/4 | | | | | | | | | | | | | | | | |
| 2N-77 | 1 | 2014 | -- | -- | 3.0 | Few | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 3 | A few large. Winter injury plant |
| 2J-127 | 1 | 2014 | -- | -- | 5.0 | Y | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 1 | Many nuts. Exposed but small |
| 2J-141 | 1 | 2014 | -- | -- | 5.0 | Y | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 0 | Many nuts as usual. Big clusters |
| 2N-25 | 1 | 2014 | -- | -- | 5.0 | Y | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 0 | Nuts quite small. Clusters small |
| W-5 | 1 | 2014 | -- | -- | 5.0 | Y | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 0 | Nuts small and exposed. Small clusters |
| 2T-111 | 1 | 2014 | -- | -- | 5.0 | Y | 8/18+ | -- | -- | -- | -- | -- | -- | EFB '20 | 3 | Quite a few, small nuts |
| Hazelbert plant (SLN) | 1 | 2015 | -- | -- | 5.0 | Few | 8/18+ | -- | -- | -- | -- | -- | -- | -- | 3 | 1st small crop. Large husk covers |

| Cultivar Name | Number of plants | Year Planted | Ave | Ave Canopy | Vigor | Fruit Set | Harvest Date | Weight of Fruit | Ave. Wt | Brix | pH | %TA | Rust | Disease | Insect Damage | Note | |
|---|------------------|--------------|--------|------------|-------|-----------|--------------|-----------------|---------------------|--------------------|------|------|--|---------|---------------|----------------------------------|--|
| | | | Height | Width | | | | | of 10 berries | | | | | | | | |
| | | | cm | cm | 0-5 | Yes/No | gm | gm | % solids = % sugars | titratable acidity | 0-3 | 0-3 | 0-3 | | | | |
| Edible Blue Honeysuckle [Russian Honeyberry] <i>Lonicera caerulea ssp. edulis</i> | | | | | | | | | | Brix | pH | %TA | | | | | |
| Berry Blue | 4 | 2007 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not net | |
| Blue Belle | 4 | 2007 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | " " | |
| Kamchatka | 4 | 2007 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | " " | |
| Blue Sky | 2 | 2020 | 103 | 83 | 5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| Edible Blue Honeysuckle [Canadian Haskap] <i>Lonicera caerulea ssp. edulis x ssp kamtschatica</i> | | | | | | | | | | Brix | pH | %TA | Pollinizer 'Honeybee' planted in June 2012 | | | | |
| Indigo Gem (9-15) | 5 | 2008 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Did not net | |
| MT 46-55 | 1 | 2009 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Prune to keep east 1/2 of plant | |
| Aurora | 1 | 2014 | -- | -- | -- | Y | 7/29 | 726.0 | 15.2 | 16.4 | 3.03 | 1.68 | -- | -- | -- | | |
| Honeybee | 1 | 2012 | -- | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | spreading upright | |
| Aurora | 2 | 2018 | 98 | 97 | 5.5 | Y | 7/21-26 | 1718.0 | 18.9 | 15.7 | 3.22 | 1.48 | -- | -- | -- | upright and outward shape | |
| Boreal Beast | 1 | 2018 | 104 | 108 | 4.0 | Y | 7/26 | 1152.7 | 17.2 | 17.0 | 3.02 | 2.26 | -- | -- | -- | round shape | |
| Boreal Beauty | 2 | 2018 | 97 | 84 | 4.5 | Y | 7/14 | 1791.5 | 27.5 | 13.2 | 2.97 | 2.24 | -- | -- | -- | open, roundish shape | |
| Boreal Blizzard | 1 | 2018 | 102 | 102 | 5.0 | Y | 7/12 x | | 20.7 | 15.0 | 3.30 | 1.31 | -- | -- | -- | round, v thick shape | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | Brix | pH | %TA | | | | | |
| 43-87 | 1 | 2008 | 152 | 220 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Decreased all to 1 plant in 2021 | |
| 43-97 | 1 | 2008 | 158 | 200 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 20-04 | 0 | 2012 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2021 | |
| 21-20 | 1 | 2012 | 152 | 168 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 22-14 | 1 | 2012 | 120 | 170 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 22-26 | 1 | 2012 | 136 | 164 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 41-75 | 1 | 2012 | 142 | 170 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 44-19 | 1 | 2012 | 140 | -- | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 57-49 | 1 | 2012 | 154 | 185 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 88-92 | 1 | 2012 | 160 | 170 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 88-102 | 1 | 2012 | 152 | 190 | -- | Y | 7/10 | 2290.0 | 18.5 | 12.9 | 2.84 | 2.44 | -- | -- | -- | | |
| 108-23 | 1 | 2012 | 156 | 210 | -- | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | | |
| 131-08 | 0 | 2012 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | Removed 2021 | |
| 142-30 | 1 | 2012 | 124 | 150 | -- | Y | 7/26 | 877.0 | 13.4 | 14.1 | 3.18 | 1.45 | -- | -- | -- | | |
| 78-89 | 2 | 2015 | 131 | 135 | -- | Y | 7/21 | 2619.0 | 23.0 | 14.4 | 2.79 | 2.98 | -- | -- | -- | Fruit is very tight, sour | |

| Cultivar Name | Number of plants | Year Planted | Ave Height cm | Ave Canopy Width cm | Vigor 0-5 | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | Brix | pH | %TA | Rust 0-3 | Disease 0-3 | Insect Damage 0-3 | Note | |
|--|------------------|--------------|------------------|------------------------|--------------|---------------------|--------------|-----------------------|---------------------|------|------|------------------------|-----------------------|----------------|-------------------------|-------------------|--|
| | | | | | | | | | of 10 berries gm | | | | | | | | |
| | | | | | | | | | | | | % solids = % sugars | titratable acidity | | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | Brix | pH | %TA | | | |
| 21-17 | 2 | 2017 | 113 | 113 | 4.5 | Y | 7/28 | 1032.7 | 21.5 | 14.0 | 2.85 | 2.90 | -- | -- | -- | | |
| 67-95 | 2 | 2017 | 112 | 117 | 4.5 | Y | 7/27 | 3193.1 | 21.4 | 12.8 | 3.15 | 1.69 | -- | -- | -- | | |
| 100-22 | 1 | 2017 | 106 | 140 | 5.0 | Y | 7/12 | 936.8 | 14.9 | 14.2 | 2.99 | 2.27 | -- | -- | -- | | |
| 108-42 | 2 | 2017 | 124 | 160 | 5.0 | Y | 7/18 | 5060.2 | 16.3 | 12.6 | 2.93 | 1.86 | -- | -- | -- | | |
| 110-26 | 2 | 2017 | 133 | 148 | 5.0 | Y | 7/18 | 2901.4 | 23.1 | 13.0 | 2.92 | 2.39 | -- | -- | -- | | |
| 120-10 | 2 | 2017 | 112 | 118 | 5.0 | Y | 7/18-25 | 2840.8 | 23.4 | 12.8 | 2.81 | 2.70 | -- | -- | -- | | |
| 120-14 | 2 | 2017 | 95 | 120 | 5.0 | Y | 7/14 | 934.0 | 23.0 | 13.8 | 2.87 | 2.33 | -- | -- | -- | | |
| 120-16 | 2 | 2017 | 119 | 120 | 5.0 | Y | 7/20-25 | 2353.9 | 24.5 | 12.6 | 3.01 | 1.91 | -- | -- | -- | | |
| 122-03 | 2 | 2017 | 108 | 140 | 5.0 | Y | 7/27 | 880.7 | 37.7 | 12.8 | 3.00 | 2.67 | -- | -- | -- | | |
| 122-12 | 2 | 2017 | 98 | 94 | 4.0 | Y | 7/28 | 2581.4 | 18.0 | 14.2 | 3.06 | 2.04 | -- | -- | -- | | |
| 122-16 | 1 | 2017 | 112 | 130 | 5.0 | Y | 7/13 | 751.7 | 29.3 | 15.4 | 3.02 | 2.48 | -- | -- | -- | | |
| 123-05 | 2 | 2017 | 112 | 121 | 5.0 | Y | 7/28 | 1284.9 | 18.8 | 14.4 | 2.76 | 2.93 | -- | -- | -- | | |
| 125-04 | 1 | 2017 | 94 | 90 | 5.0 | Y | 7/10-13 | 922.3 | 20.2 | 13.4 | 2.82 | 2.72 | -- | -- | -- | | |
| 132-09 | 2 | 2017 | 104 | 129 | 5.0 | Y | 7/7 | 1942.5 | 15.8 | 14.5 | 3.19 | 1.33 | -- | -- | -- | | |
| 132-10 | 1 | 2017 | 104 | 128 | 4.0 | Y | 7/12 | 944.8 | 24.4 | 13.8 | 3.24 | 1.34 | -- | -- | -- | | |
| 132-13 | 1 | 2017 | 104 | 140 | 5.0 | Y | 7/17 | 512.8 | 16.6 | 17.0 | 2.93 | 3.06 | -- | -- | -- | | |
| 132-14 | 2 | 2017 | 117 | 144 | 5.0 | Y | 7/10 | 3600.6 | 20.2 | 13.2 | 3.38 | 1.18 | -- | -- | -- | | |
| 139-24 | 5 | 2017 | 98 | 129 | 4.8 | Y | 7/20-21 | 6967.3 | 26.6 | 14.0 | 2.97 | 2.10 | -- | -- | -- | | |
| 142-31 | 2 | 2017 | 111 | 125 | 5.0 | Y | 7/21-28 | 2485.7 | 17.3 | 14.7 | 3.09 | 1.79 | -- | -- | -- | | |
| 144-04 | 1 | 2017 | 106 | 136 | 4.0 | Y | 7/17 | 1294.6 | 16.1 | 12.3 | 2.94 | 2.62 | -- | -- | -- | | |
| 145-10 | 2 | 2017 | 103 | 75 | 4.0 | Y | 7/21-25 | 630.1 | 11.4 | 16.4 | 3.03 | 1.85 | -- | -- | -- | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | Brix | pH | %TA | | | |
| 111-12 | 2 | 2018 | 113 | 122 | 4.7 | Y | 7/25 | 1636.7 | 15.1 | 13.6 | 3.15 | 1.77 | -- | -- | -- | | |
| 124-16 | 2 | 2018 | 95 | 120 | 4.5 | Y | 7/25 | 713.8 | -- | 14.2 | 2.76 | 3.10 | -- | -- | -- | | |
| 124-19 | 1 | 2018 | 108 | 116 | 5.0 | Y | 7/29 | 1410.7 | 14.1 | 12.0 | 2.55 | 3.90 | -- | -- | -- | | |
| 125-13 | 2 | 2018 | 111 | 129 | 5.0 | Y | 7/29 | 2904.1 | 20.2 | 12.0 | 2.75 | 3.00 | -- | -- | -- | | |
| 129-06 | 2 | 2018 | 107 | 137 | 5.0 | Y | 7/14 | 2099.8 | 21.2 | 15.4 | 3.03 | 1.80 | -- | -- | -- | | |
| 130-09 | 2 | 2018 | 111 | 144 | 5.0 | Y | 7/29 | 562.7 | 14.1 | 16.4 | 2.80 | 3.32 | -- | -- | -- | | |
| 135-03 | 2 | 2018 | 100 | 119 | 5.0 | Y | 7/25 | 266.2 | 29.0 | 15.2 | 3.10 | 2.12 | -- | -- | -- | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | Brix | pH | %TA | | | |
| 119-08 | 2 | 2019 | 94 | 126 | 5.0 | Y | 7/28 | 837.4 | -- | -- | -- | -- | -- | -- | -- | | |
| 120-15 | 2 | 2019 | 108 | 122 | 5.0 | Y | 7/29 | 2124.0 | 15.1 | 15.4 | 3.09 | 1.73 | -- | -- | -- | | |
| 122-26 | 2 | 2019 | 75 | 98 | 3.0 | Y | 7/20 | 920.4 | 28.4 | 13.8 | 2.96 | 2.11 | -- | -- | -- | | |
| 129-06 | 1 | 2019 | 89 | 117 | 4.0 | Y | 7/13 | 221.7 | 17.1 | | | | -- | -- | -- | | |
| 132-05 | 2 | 2019 | 104 | 124 | 4.5 | Y | 7/25 | 755.5 | 25.2 | 18.2 | 2.92 | 2.23 | -- | -- | -- | | |
| 133-07 | 2 | 2019 | 73 | 89 | 3.5 | Y | 7/21 | 1294.1 | 17.7 | 16.1 | 2.83 | 2.69 | -- | -- | -- | | |
| 133-09 | 2 | 2019 | 93 | 117 | 5.0 | Y | 7/26 | 1420.0 | -- | 15.3 | 3.00 | 1.94 | -- | -- | -- | | |
| 134-08 | 2 | 2019 | 90 | 93 | 4.0 | Y | 7/28 | 254.1 | 22.2 | 16.9 | 3.16 | 1.44 | -- | -- | -- | | |
| 135-01 | 2 | 2019 | 91 | 102 | 4.5 | Y | 7/26 | 562.7 | 27.1 | 13.4 | 2.88 | 2.27 | -- | -- | -- | | |
| 136-17 | 2 | 2019 | 103 | 98 | 5.0 | Y | 7/28 | 736.3 | 21.2 | 15.2 | 3.00 | 1.86 | -- | -- | -- | | |
| 138-18 | 1 | 2019 | 98 | 82 | 3.0 | N | -- | -- | -- | | | | -- | -- | -- | Plant broken down | |

| Cultivar Name | Number of plants | Year Planted | Ave Height | Ave Canopy | | Vigor | Fruit Set Yes/No | Harvest Date | Weight of Fruit gm | Ave. Wt | Brix | pH | %TA | Rust | Disease | Insect Damage | Note |
|--|---------------------|-----------------|---------------|------------------|-----|-------|---------------------|-----------------|--------------------------|---------|------|------|-----|------|---------|------------------|------|
| | | | | of 10 berries | cm | | | | | cm | | | | | | | |
| Edible Blue Honeysuckle [Japanese Haskap] <i>Lonicera caerulea ssp. emphylocalyx</i> | | | | | | | | | | | | | | | | | |
| 140-14 | 2 | 2019 | 101 | 138 | 5.0 | Y | 8/5 | 505.5 | 18.5 | 13.6 | 2.72 | 3.85 | -- | -- | -- | | |
| 140-16 | 2 | 2019 | 101 | 89 | 4.5 | Y | 7/27 | 96.9 | 20.9 | 14.7 | 2.93 | 2.84 | -- | -- | -- | | |
| 141-04 | 1 | 2019 | 100 | 110 | 5.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Birds | |
| 141-05 | 2 | 2019 | 89 | 107 | 3.5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Birds | |
| 141-06 | 2 | 2019 | 76 | 91 | 4.0 | Y | 8/5 | 45.8 | 15.0 | 18.0 | 2.87 | 3.22 | -- | -- | -- | Birds | |
| 141-07 | 2 | 2019 | 78 | 88 | 3.0 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Birds | |
| 144-17 | 2 | 2019 | 93 | 74 | 3.5 | Y | -- | -- | -- | -- | -- | -- | -- | -- | -- | Birds | |