

Room Number	Room Name	Room Type	Size (SF)	Student Occ.		Finishes			Technology					Lab Features										Furniture	Notes
				Design	Code	Floor Finish	Ceiling Finish	Wall Finishes	Projector(s)	Projection Screens	Monitors	Whiteboards (Included)	Whiteboard Walls (Alternate)	Movable Student Tables (Lab)	Movable Instructor Tables	Sinks	Hoods	Gas	Air	Vacuum	Overhead Power Drops	Perimeter Wiremold Power	Biosafety Cabinets (N.I.C.)		
Main Level																									
110	MT Lab	Laboratory	1688	24	25	Polished Conc.	ACT	GWB	1	1	1	24LF	0	18	1	3	0	yes	no	no	12	yes	0	24 Student Chairs, 1 Instructor Chair	
112	Auditorium	Auditorium	3656	295+5(ADA)	300	Carpet	ACT	GWB/Acc. Panel	2	1	1	40LF	0	0	0	1	1	yes	yes	yes	0	no	0	40'-2" Diagonal Fixed Screen, Sloped Floor, Fixed Demo table, Down Draft Hood	
114	Fluids Lab	Laboratory	1839	37	37	Conc.	Conc.	GWB	1	1	1	24LF	0	4	0	1	0	no	yes	no	9	no	0	24 Moveable Node Chairs	
122	Lecture Hall	Lecture	2299	98	100	Carpet	ACT	GWB	2	2	1	36LF	0	0	0	0	0	no	no	no	0	no	0	Fixed Tables, 98 Chairs, Power/Data in Tables	Tiered Seating, Two Table Rows per Tier, Acoustical Panels
126	Project Based Learning	Classroom	1600	48	107	Polished Conc.	ACT	GWB/Glass	2	2	1	56LF	0	0	0	0	0	no	no	no	0	no	0	24 Moveable Student Tables, 2 chairs per table	
130/132 Combined	Active Learning Classroom	Classroom	3183	135	135	Carpet	ACT	GWB/WB	6	6	15	259LF	0	0	0	0	0	no	no	no	0	no	0	15 fixed round tables, 9 chairs per table	Room Features when Partition Wall is opened
Second Level																									
200	MT Lab	Laboratory	1283	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
204	MT Lab	Laboratory	1366	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
206	MT Lab	Laboratory	1240	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
208	MT Lab	Laboratory	1260	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
214	MT Lab	Laboratory	1260	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
216	MT Lab	Laboratory	1260	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
218	MT Lab	Laboratory	1673	36	37	EF	ACT	GWB	1	1	1	24LF	0	18	1	3	0	yes	no	no	12	yes	0	36 Student Chairs, 1 Instructor Chair	
228	Electronics MT Lab	Laboratory	1192	25	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	0	0	no	no	no	12	yes	0	36 Student Chairs, 1 Instructor Chair	
230	MT Lab	Laboratory	1256	24	25	EF	ACT	GWB	1	1	1	24LF	0	12	1	3	0	yes	no	no	9	yes	0	24 Student Chairs, 1 Instructor Chair	
232	BSL2 Lab	Laboratory	1255	24	25	EF	ACT	GWB	1	1	1	24LF	0	0	1	9	0	yes	no	no	0	yes	2	24 Student Chairs, 1 Instructor Chair	Biosafety Cabinets Not In Contract
234	Active Learning Classroom	Classroom	2579	80	129	Carpet	ACT	GWB	2	2	1	44LF	80LF	0	0	0	0	no	no	no	0	no	0	40 Student Tables, 2 Student Chairs per table, 1 Instructor Chair	
238	BSL2 Lab	Laboratory	1255	24	25	EF	ACT	GWB	1	1	1	24LF	0	0	1	9	0	yes	no	no	0	yes	2	24 Student Chairs, 1 Instructor Chair	Biosafety Cabinets Not In Contract
240	Computer Lab	Classroom	1713	48	62	Carpet	ACT	GWB	2	2	49	30LF	84LF	0	0	0	0	no	no	no	0	no	0	24 Student Tables, 2 chairs/PCs per table, 1 Instructor Chair/PC	Built-In Storage along 26LF of one wall
Third Level																									
300	Active Learning Classroom	Classroom	2559	99	129	Carpet	ACT	GWB	2	2	11	47LF	96LF	0	0	0	0	no	no	no	0	no	0	11 fixed round tables, 9 chairs per table	
304	H8 Lab	Laboratory	1629	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
306	H2 Lab	Laboratory	1210	24	25	EF	ACT	GWB	1	1	1	24LF	0	0	1	3	2	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
308	H8 Lab	Laboratory	1649	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
312	H8 Lab	Laboratory	1649	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
314	H2 Lab	Laboratory	1250	24	25	EF	ACT	GWB	1	1	1	24LF	0	0	1	3	2	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
326	Active Learning Classroom	Classroom	1690	60	86	Carpet	ACT	GWB	2	2	1	24LF	82LF	0	0	0	0	no	no	no	no	no	0	60 Moveable Node Chairs, 1 student table, 1 Instructor Chair	
328	H8 Lab	Laboratory	1649	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
330	Active Learning Classroom	Classroom	1619	60	81	Carpet	ACT	GWB	2	2	1	28LF	84LF	0	0	0	0	no	no	no	no	no	0	60 Moveable Node Chairs, 1 student table, 1 Instructor Chair	
332	H8 Lab	Laboratory	1649	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	
334	Active Learning Classroom	Classroom	2560	78	129	Carpet	ACT	GWB	2	2	1	48LF	98LF	0	0	0	0	no	no	no	no	no	0	39 Student Tables, 2 Student Chairs per table, 1 Instructor Chair	
336	H8 Lab	Laboratory	1650	24	25	EF	ACT	GWB	1	1	1	16LF	0	0	1	3	9	yes	yes	yes	no	yes	0	24 Student Chairs, 1 Instructor Chair	