

*J. New York Entomol. Soc.* 93(4):1173–1181, 1985

## NAMES PROPOSED AND TAXONOMIC PUBLICATIONS BY HERBERT RUCKES (1895–1965)

L. H. ROLSTON AND D. A. RIDER

Department of Entomology, Louisiana Agricultural Experiment Station,  
Louisiana State University Agricultural Center,  
Baton Rouge, Louisiana 70803

*Abstract.*—A list of names proposed and a bibliography are presented for Herbert Ruckes.

Although Dr. Herbert Ruckes did most of his taxonomic work at the American Museum of Natural History after retiring from The City College of the City University of New York (Anon., 1966), he was nonetheless a productive taxonomist. He had several projects in progress at the time of his death and left in various museums specimens that are labeled as type material. These specimens are troublesome to curators and researchers because the names proposed by Dr. Ruckes and validated by publication have not been compiled previously. As a service to those concerned, the taxonomic publications and available names proposed by Dr. Ruckes are listed here.

### LIST OF NAMES PROPOSED AND THEIR CURRENT STATUS IF CHANGED

#### COREOIDEA

##### COREIDAE

- Chariesterus bahamensis.* 1955b:6–7, figs. 2, 14, 19.  
*C. pardalinus.* 1955b:12–13, figs. 7, 20.  
*Mozena arizonensis.* 1955a:2–4.  
*M. lunata rufescens.* 1955a:7–8.  
*M. pallisteri.* 1955a:5–7.  
*M. tomentosa.* 1955a:4–5.

#### PENTATOMOIDEA

##### ACANTHOSOMATIDAE

- Elasmostethus gracilis.* 1963:356, fig. 10b.

##### CYDNIDAE

- Aethus diminutus.* 1952b:2–4.

##### PENTATOMIDAE

##### Asopinae

- Bulbostethus.* 1960b:287–288.  
*B. transversalis.* 1963:329–331, fig. 5a, b.

*Ponapea*. 1963:325–326.

*P. arachnoides*. 1963:326–328, fig. 4.

Discocephalinae

Discocephalini

*Acclivilamna*. 1966c:39–40.

*Alciphus dimidiatus*. 1959f:97–100, fig. 1a, b, c.

*Allinocoris*. 1966c:29.

*Alveostethus*. 1966c:31–33.

*Antiteuchus (A.) bartletti*. 1964a:97–98, figs. 72–74.

*A. (A.) confinium*. 1964a:94–95, figs. 63–65.

*A. (A.) costaricensis*. 1964a:80–81, figs. 40, 41.

*A. (A.) cuspidatus*. 1964a:98–100, figs. 69–71.

*A. (A.) fulvescens*. 1964a:73–74, figs. 29–31.

*A. (A.) guianensis*. 1964a:95–96, figs. 66–68.

*A. (A.) maculosus*. 1964a:81, 83, figs. 45, 46.

*A. (A.) mimeticus*. 1964a:100–101, figs. 75–77.

*A. (A.) nebulosus*. 1964a:89–91, figs. 10, 53–55.

*A. (A.) nigricans*. 1964a:71–72, figs. 25, 26.

*A. (A.) peruvensis*. 1964a:85–86, figs. 3, 47–49.

*A. (A.) pictus*. 1964a:79–80, fig. 39.

*A. (A.) punctissimus*. 1964a:92–94, figs. 60–62.

*A. (A.) radians*. 1964a:65–66, 71, figs. 15, 16.

*A. (A.) subimpunctatus*. 1964a:64–65.

*A. (A.) tripterus limbaticornis*. 1964a:77–78.

*A. (A.) varians*. 1964a:91–92, figs. 56–59.

*Callostethus*. 1961b:153–156.

*Dentocephala*. 1960a:1–3. =*Harpogaster* (Pirán, 1962:8).

*Dentocephala parva*. 1960a:3, 5, figs. 1, 2. =*Harpogaster willineri* (Pirán, 1962:8).

*Dinocoris binotata*. 1958b:6–7. =*D. corrosus* (Pirán, 1962:6).

*D. robustus*. 1959b:147–148.

*D. rufitarsus*. 1958b:4–5.

*Dryptocephala crenata*. 1966d:13–14, fig. 3.

*D. lipoloba*. 1966d:18–20, figs. 7, 13, 14, 25, 26.

*D. maculosa*. 1966d:17–18, figs. 6, 15, 16, 23, 24.

*D. nigricornis*. 1966d:14–16, fig. 4.

*Eurystethus (E.) ellipsoidalis*. 1958b:1–4, fig. 1.

*E. (E.) macroconus*. 1966b:8–10, fig. 4.

*E. (E.) ornatus*. 1966b:10–12, fig. 11.

*E. (E.) ovalis*. 1966b:17–18, fig. 14.

*E. (E.) pallescens*. 1966b:18–20, fig. 15.

*E. (E.) parvulus*. 1966b:13–15, fig. 12.

*E. (E.) sordidus*. 1966b:20–22.

*E. (E.) spurculus*. 1966b:15–16, fig. 13.

*E. subgen. Hispidisoma*. 1966b:22–23.

*E. (H.) fulvescens*. 1966b:33–34, figs. 9, 20.

- E. (H.) microlobatus.* 1966b:34–36, figs. 10, 21.  
*E. (H.) nigricornis.* 1966b:25–26, fig. 16.  
*E. (H.) nigroviridis.* 1966b:26–28, figs. 6, 17.  
*E. (H.) punctissimus.* 1966b:24–25.  
*E. (H.) sacculatus.* 1966b:29–30, figs. 3, 8, 18.  
*E. (H.) variegatus.* 1966b:30–32, figs. 2, 7, 19.
- Grassator.** 1965:123, 125.  
    *G. reticulatus.* 1965:127–129, figs. 19, 20.  
    *G. sinuatus.* 1965:126–127, figs. 17, 18.
- Lineostethus.** 1966c:22–24.
- Mecistorhinus (Antiteuchus) fuscus.* 1959a:6–8. = *Antiteuchus (A.) fuscus* (Ruckes, 1964a:67).  
*M. coralium.* 1960a:9–10.  
*M. lineatus.* 1959a:2–4.  
*M. panamensis.* 1959a:4–6. = *Antiteuchus (A.) panamensis* (Ruckes, 1961b:152).  
*M. tibialis.* 1959e:2–3.  
    *M. variegatus.* 1966a:223–224.
- Neodine tatei.* 1958a:7–8. = *Antiteuchus (Neodine) tatei* (Ruckes, 1961b:153).
- Pandonotum.** 1965:118–119.  
    *P. punctiventris.* 1965:119–120, fig. 3.
- Parantiteuchus.** 1962b:95–97.  
    *P. hemitholus.* 1962b:97–99, figs. 1, 2.
- Parvamima.** 1960a:6.  
    *P. bicolor.* 1960a:7–9, fig. 3.
- Patronatus.** 1965:129–130.  
    *P. binotatus.* 1965:130–132, figs. 21–24.  
    *P. flavigrus.* 1965:133–134, figs. 28–30.  
    *P. punctissimus.* 1965:132–133, figs. 25–27.
- Pelidnocoris haglundi.* 1966e:4–6, figs. 5–8.  
    *P. majusculus.* 1966e:6–8, figs. 9, 10.
- Placiodocoris.** 1965:114–116.  
    *P. bivittatus.* 1965:116, fig. 1.
- Platycarenus (Discocephalessa) kormilevi.* 1958a:4–7. = *Acclivilamna vicina* (Ruckes, 1966c:40).
- P. (D.) nigroventris.* 1958a:2–4. = *Grassator nigroventris* (Ruckes, 1965:125).  
*P. (D.) pseudopolitus.* 1957a:17–19. = *Alveostethus pseudopolitus* (Ruckes, 1966c:36).  
    *P. (D.) tenebricornis.* 1957a:16–17. = *Lineostethus tenebricornis* (Ruckes, 1966c:24).
- Platycarenus uncinatus.* 1960a:10–12.
- Selenochilus.** 1964b:129–131.  
    *S. nitidus.* 1964b:131–132.
- Tetragonotum.** 1965:117.  
    *T. megacephalum.* 1965:117–118, fig. 2.
- Uncinala.** 1965:120–121.  
    *U. tau.* 1965:121–123, figs. 4–9.
- Unicus.** 1966c:26–27.

## Ochlerini

- Brachelytron.** 1958a:17–19.  
*B. angelicus.* 1958a:19–20, fig. 3.  
**Eritrachys.** 1959e:10–11.  
*E. bituberculata.* 1959e:11–13, fig. 4.  
**Minilincus.** 1958a:14–15. =*Lincus* (Rolston, 1983a:2).  
*M. parvulus.* 1958a:15–17, fig. 2. =*Lincus parvulus* (Rolston, 1983a:17).  
*Miopygium grossa.* 1958a:8–10.  
**Neoadoxoplatys longirostra.** 1959b:149–150.  
**Orbatina.** 1961a:228–229.  
*O. fuliginia.* 1961a:229–231.  
**Schraderia.** 1959e:3–5.  
*S. cinctus.* 1959e:8–10, fig. 3.  
*S. hughesae.* 1959e:5–8, figs. 1, 2.  
**Vauriana.** 1958a:10–12. =*Paralincus* (Rolston, 1983b:183).  
*V. bimaculata.* 1958a:12–14, fig. 1. =*P. bimaculatus* (Rolston, 1983b:187).

## Pentatominae

## Halyini

- Brochymena barberi.** 1939b:111–113, fig. 1.  
*B. barberi* var. *diluta*. 1939b:113–114.  
*B. dilata.* 1939a:239–242, fig.  
*B. chelonoides.* 1957a:22–24.  
*B. enigmatica.* 1961a:225–227.  
*B. exardentia.* 1961a:227–228.  
*B. florida.* 1939c:236–238, fig.  
*B. humeralis.* 1939b:116–118, fig. 3.  
*B. laevigata.* 1957a:19–21.  
*B. lineata.* 1939a:236–239, fig.  
*B. parva.* 1946a:42–44 (n. name).  
*B. splendida.* 1957a:21–22.  
*B. usingeri.* 1939b:114–116, fig. 2.

## Mecideini

- Mecidea minor.** 1946b:87–88, figs. D–F.

## Pentatomini

- Banasa grisea.** 1957c:46–47.  
**Catacanthus fuchsinus.** 1963:338–339, fig. 6b.  
**Disderia inornata.** 1959c:28, 30, figs. 3–5.  
**Glaucias eburnopictus.** 1963:347–348, fig. 8b.  
*G. fulvescens.* 1963:344–346, fig. 8a.  
*G. lucidus.* 1963:342–343, fig. 7a.

- G. lyratum*. 1963:346–347.  
*G. ponapensis*. 1963:348–350, fig. 9.  
*G. robustus*. 1963:343–344, fig. 7b.  
*G. spectabilis*. 1959g:101–103.  
**Marghita**. 1964c:261–262.  
    *M. crepuscula*. 1964c:262–265, figs. 1–3.  
*Neotiglossa corona-ciliata*. 1957c:41–42.  
*Odmalea olivacea*. 1959d:55–57. = *Thoreyella brasiliensis* (Rolston, 1978:22).  
    *O. quadripunctula modesta*. 1959e:17–18. = *Odmalea concolor* (Rolston, 1978a: 23).  
*Oenoparella testacea*. 1959b:150–152. = *Mormidea geographica* (Rolston, 1978b:177).  
**Paratibilis**. 1960a:24–25.  
    *P. confusa*. 1960a:25–26.  
**Parvacrena**. 1963:335–336.  
    *P. punctata*. 1963:336–337, fig. 6a.  
*Peribalus fulvipes*. 1957c:39–41. = *Holcostethus fulvipes* (McDonald, 1975:252).  
*Plautia cyanoviridis*. 1963:353–355, fig. 10a.  
**Pseudovoplitus**. 1958b:8–9.  
    *P. longicornis*. 1959e:13–17, figs. 5, 6.  
    *P. paradoxus*. 1958b:9–12, figs. 3, 4.  
*Rio insularis*. 1960a:15–18, figs. 5, 8.  
    *R. obscuratus*. 1960a:20–21, fig. 6.  
    *R. testaceus*. 1960a:18–20, fig. 9.  
    *R. variegatus*. 1960a:21–23, fig. 7.  
**Serdia concolor**. 1958b:12–13.  
    *S. costalis*. 1958b:13–15.  
**Thyanta acuminata**. 1956:63–65, fig. 5.  
    *T. acuta*. 1952a:67–68.  
    *T. bimini*. 1952a:65–67. = *Cyptocephala bimini* (Rolston and McDonald, 1984: 77).  
    *T. cornuta*. 1956:66–68.  
    *T. crinita*. 1957c:44–46.  
    *T. humeralis*. 1956:57–59, fig. 2.  
    *T. nitidula*. 1956:62–63, fig. 4.  
    *T. pallido-virens setosa*. 1957b:17–18.  
    *T. pallido-virens spinosa*. 1957b:18–19.  
    *T. picturata*. 1957c:42–44. = *Cyptocephala antiquensis* (Rolston, 1972:281; Rolston and McDonald, 1984:77).  
    *T. planifrons*. 1956:59–61, fig. 3.  
    *T. serratulata*. 1957d:178–179, figs. 5, 6.  
    *T. setigera*. 1957d:179–180, figs. 7, 8.  
    *T. signoreti*. 1956:65–66, fig. 7.  
    *T. spectabilis*. 1957d:175–176, 178, figs. 3, 4.  
*Trichopepla klotzi*. 1937b:2. = *Trichopepla dubia* (McDonald, 1976:15).  
**Zimmeria**. 1958a:20–23. = *Janeirona* (Rolston and McDonald, 1979:200).  
**Zimmerana**. 1962c:234 (n. name). = *Janeirona* (Rolston and McDonald, 1979:200).

## Sciocorini

*Sciocoris crassus*. 1959b:145-147.

## Podopinae

*Scotinophara minor*. 1963:319-320, fig. 3.

## PLATASPIDAE

*Brachyplatys insularis*. 1963:314-316, figs. 1a, 2.

## TAXONOMIC PUBLICATIONS OF HERBERT RUCKES

- Ruckes, H. 1937a. An annotated list of some pentatomids (Heteroptera) from New Mexico. Bull. Brooklyn Ent. Soc. 32(1):32-36.
- Ruckes, H. 1937b. *Trichopepla klotsi*, a new species of pentatomid from Wyoming (Heteroptera). Am. Mus. Novitates no. 935, 2 pp.
- Ruckes, H. 1938a. Additions to an annotated list of pentatomids (Heteroptera) from New Mexico. Bull. Brooklyn Ent. Soc. 33(1):10-13.
- Ruckes, H. 1938b. Courtship and copulation in *Brochymena sulcata* Van D. Bull. Brooklyn Ent. Soc. 33(2):89-90.
- Ruckes, H. 1939a. Two new species of *Brochymena* (Pentatomidae, Heteroptera) from Arizona. Bull. Brooklyn Ent. Soc. 33(5):236-242 (1938).
- Ruckes, H. 1939b. Three new species of *Brochymena* (Pentatomidae) from the United States and Mexico. Bull. Brooklyn Ent. Soc. 34(2):111-118, 1 pl.
- Ruckes, H. 1939c. *Brochymena florida*, a new species of pentatomid from Florida. Bull. Brooklyn Ent. Soc. 34(5):236-239.
- Ruckes, H. 1941. Note on the feeding habits of *Brochymena carolinensis* (West.) in Florida. Bull. Brooklyn Ent. Soc. 36(1):27-28.
- Ruckes, H. 1946a. *Brochymena obscura* (H.-S.), *Brochymena tenebrosa* Walker, and *Brochymena parva*, a new name. Bull. Brooklyn Ent. Soc. 41(2):41-44.
- Ruckes, H. 1946b. *Mecidea minor*, a new species of pentatomid from New Mexico. Bull. Brooklyn Ent. Soc. 41(3):86-88.
- Ruckes, H. 1947. Notes and keys on the genus *Brochymena* (Pentatomidae, Heteroptera). Ent. Am. 26(4):143-238 (1946).
- Ruckes, H. 1952a. Two new species of *Thyanta* Stål (Pentatomidae, Heteroptera). Bull. Brooklyn Ent. Soc. 47(3):65-68.
- Ruckes, H. 1952b. Some scutelleroid Hemiptera of the Bahama Islands, British West Indies. Am. Mus. Novitates no. 1591, 9 pp.
- Ruckes, H. 1955a. Three new species and a subspecies of the genus *Mozena* (Heteroptera, Coreidae). Am. Mus. Novitates no. 1702, 8 pp.
- Ruckes, H. 1955b. The genus *Chariesterus* de Laporte (Heteroptera, Coreidae). Am. Mus. Novitates no. 1721, 16 pp.
- Ruckes, H. 1956. Six new species of *Thyanta* Stål (Heteroptera, Pentatomidae). Bull. Brooklyn Ent. Soc. 51(3):57-68.
- Ruckes, H. 1957a. New species of Pentatomidae from North and South America (Heteroptera) I. Bull. Brooklyn Ent. Soc. 52(1):16-24.

- Ruckes, H. 1957b. The taxonomic status and distribution of *Thyanta custator* (Fabricius) and *Thyanta pallido-virens* (Stål) (Heteroptera, Pentatomidae). Am. Mus. Novitates no. 1824, 23 pp.
- Ruckes, H. 1957c. New species of Pentatomidae from North and South America (Heteroptera) II. Bull. Brooklyn Ent. Soc. 52(2):39-47.
- Ruckes, H. 1957d. Three new species of *Thyanta* Stål (Heteroptera: Pentatomidae). Pan-Pacific Ent. 33(4):175-180.
- Ruckes, H. 1958a. New genera and species of neotropical discocephaline and halyine pentatomids (Heteroptera, Pentatomidae). Am. Mus. Novitates no. 1868, 27 pp.
- Ruckes, H. 1958b. Some new genera and species of tropical pentatomids (Heteroptera). Am. Mus. Novitates no. 1918, 15 pp.
- Ruckes, H. 1959a. Three new species of *Mecistorhinus* Dallas (Heteroptera, Pentatomidae). Am. Mus. Novitates no. 1930, 8 pp.
- Ruckes, H. 1959b. Four new species of neotropical pentatomids (Heteroptera, Pentatomidae). J. New York Ent. Soc. 66(3-4):145-152 (1958).
- Ruckes, H. 1959c. *Disderia inornata*, a new species of pentatomid from Mexico (Heteroptera, Pentatomidae). J. New York Ent. Soc. 67(1):27-30.
- Ruckes, H. 1959d. A new species of *Odmalea* Bergroth from Brazil. J. New York Ent. Soc. 67(1):55-57.
- Ruckes, H. 1959e. New genera and species of pentatomids from Panama and Costa Rica (Heteroptera, Pentatomidae). Am. Mus. Novitates no. 1939, 18 pp.
- Ruckes, H. 1959f. A new species of *Alcippus* Stål from Ecuador (Heteroptera: Pentatomidae). J. Kansas Ent. Soc. 32(3):97-100.
- Ruckes, H. 1959g. A new species of *Glaucias* Kirkaldy from New Guinea (Heteroptera: Pentatomidae). Bull. Brooklyn Ent. Soc. 54(4):101-103.
- Ruckes, H. 1960a. New or little known neotropical pentatomids (Heteroptera, Pentatomidae). Am. Mus. Novitates no. 1996, 27 pp.
- Ruckes, H. 1960b. *Bulbostethus chrysopterus* (Herrich-Schaffer), an old bug with a new name (Heteroptera: Pentatomidae). Proc. Hawaiian Ent. Soc. 17(2):285-288.
- Ruckes, H. 1961a. Three new New World halyine pentatomids (Hemiptera; Pentatomidae). J. New York Ent. Soc. 68(4):225-231 (1960).
- Ruckes, H. 1961b. Notes on the *Mecistorhinus-Antiteuchus* generic complex of discocephaline pentatomids (Heteroptera, Pentatomidae). J. New York Ent. Soc. 69(3):147-156.
- Ruckes, H. 1962a. The diagnostic value of trichobothria in pentatomid taxonomy. Verh. XI. Internat. Kongr. Ent. Wien 1960. 1:35-37 (1961).
- Ruckes, H. 1962b. A new genus and species of discocephaline pentatomid (Heteroptera: Pentatomidae). J. New York Ent. Soc. 70(2):95-99.
- Ruckes, H. 1962c. Genus *Zimmeria* Ruckes preoccupied (Heteroptera: Pentatomidae). J. New York Ent. Soc. 70(4):234.
- Ruckes, H. 1963. Heteroptera. Pentatomoidea. In: Insects of Micronesia 7(7):307-356.
- Ruckes, H. 1964a. The genus *Antiteuchus* Dallas, with descriptions of new species (Heteroptera, Pentatomidae, Discocephalinae). Bull. Am. Mus. Nat. Hist. 127(art. 2):47-102.

- Ruckes, H. 1964b. A new Panamanian stink bug (Heteroptera; Pentatomidae, Discocephalinae). Bull. Brooklyn Ent. Soc. 58(4):129-132 (1963).
- Ruckes, H. 1964c. A new genus and species of halyine pentatomid from Argentina (Heteroptera: Pentatomidae). Proc. Ent. Soc. Washington 66(4):261-265.
- Ruckes, H. 1965. Several new genera and species of discocephaline pentatomids (Heteroptera: Pentatomidae). J. New York Ent. Soc. 73(3):114-134.
- Ruckes, H. 1966a. A new *Mecistorhinus* from Ecuador (Heteroptera: Pentatomidae). J. New York Ent. Soc. 73(4):223-224 (1965).
- Ruckes, H. 1966b. The genus *Eurystethus* Mayr, with the descriptions of new species (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2254, 37 pp.
- Ruckes, H. 1966c. An analysis and a breakdown of the genus *Platycarenus* Fieber (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2255, 42 pp.
- Ruckes, H. 1966d. The genus *Dryptocerphala* Laporte (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2256, 31 pp.
- Ruckes, H. 1966e. A review of the bug genus *Pelidnocoris* Stål (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2257, 8 pp.
- Becker, M. and H. Ruckes. 1969. A review of the genus *Sympiezorrhincus* Spinola (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2391, 17 pp.
- Ruckes, H. and M. Becker. 1970. The bug genus *Coriplatus* White (Heteroptera, Pentatomidae, Discocephalinae). Am. Mus. Novitates no. 2409, 11 pp.

#### ACKNOWLEDGMENTS

Information on the current status of the coreid taxa listed was provided by W. R. Dolling, British Museum (Natural History), and J. C. Schaffner, Texas A&M University.

#### LITERATURE CITED

- Anonymous. 1966. Necrology. Herbert Ruckes (1895-1965). J. New York Ent. Soc. 74:122.
- McDonald, F. J. D. 1975. Revision of the genus *Holcostethus* in North America (Hemiptera: Pentatomidae). J. New York Ent. Soc. 82(4):245-258 (1974).
- McDonald, F. J. D. 1976. Revision of the genus *Trichopepla* (Hemiptera: Pentatomidae) in N. America. J. New York Ent. Soc. 84(1):9-22.
- Pirán, A. 1962. Hemiptera neotropica V. Notas sobre sistemática y zoogeografía de Pentatomidae. Acta Zool. Lilloana 18:5-10.
- Rolston, L. H. 1972. The small *Thyanta* species of North America (Hemiptera: Pentatomidae). J. Georgia Ent. Soc. 7(4):278-285.
- Rolston, L. H. 1978a. A revision of the genus *Odmalea* Bergroth (Hemiptera: Pentatomidae). J. New York Ent. Soc. 86(1):20-36.
- Rolston, L. H. 1978b. A revision of the genus *Mormidea* (Hemiptera: Pentatomidae). J. New York Ent. Soc. 86(3):161-219.
- Rolston, L. H. 1983a. A revision of the genus *Lincus* Stål (Hemiptera: Pentatomidae: Discocephalinae: Ochlerini). J. New York Ent. Soc. 91(1):1-47.
- Rolston, L. H. 1983b. The genus *Paralincus* (Hemiptera: Pentatomidae). J. New York Ent. Soc. 91(2):183-187.
- Rolston, L. H. and F. J. D. McDonald. 1979. Keys and diagnoses for the families of Western

- Hemisphere Pentatomidea, subfamilies of Pentatomidae and tribes of Pentatominae (Hemiptera). *J. New York Ent. Soc.* 87(3):189–207.  
Rolston, L. H. and F. J. D. McDonald. 1984. A conspectus of Pentatomini of the Western Hemisphere. Part 3 (Hemiptera: Pentatomidae). *J. New York Ent. Soc.* 92(1):69–86.

Received April 13, 1984; accepted December 20, 1984.